Ensure the Safety and Performance of the Structure under the Dynamic Loading Conditions

Kumar Suman Saurabh[1] Dr. Vivek Soni[2]
[1]M.Tech. Scholar [2]Assistant Professor
[1,2]Department of Civil Engineering
[1,2]Madhyanchal Professional University, Bhopal, M.P., India

Abstract — Conducting a comprehensive and well-structured study, you can provide valuable insights for civil engineers and organizations seeking guidance on selecting the right software tools for their structural design and analysis needs. Ensure that you have well-defined research objectives and questions. Clearly state what you aim to achieve through your study. For example, are you looking to compare the accuracy, efficiency, or ease of use of these software tools?What specific criteria will you use for evaluation Describe in detail how you plan to conduct your research will you be using real-world structural design examples or simulations this might include design parameters, material properties, loading conditions, and the resulting structural behavior. Provide a detailed analysis of the results obtained from both software tools. Compare the outcomes in terms of structural performance, economy, durability, and serviceability. Use appropriate engineering metrics and standards for evaluation. It's mentioned that you found STAAD Pro is mostly used for analysis results. You can conduct surveys or interviews with engineers to understand their reasons and perceptions about the software choices. This qualitative data can complement your quantitative analysis. Discuss the advantages and limitations of each software tool based on your findings. Consider not only technical aspects but also factors like usability, learning curve, and support. Based on your research, provide recommendations for when to use ETABS and when to use STAAD Pro. Highlight the strengths and weaknesses of each tool and under what circumstances one might be preferred over the other. The field of civil engineering software is constantly evolving, and your study can contribute to identifying areas where further development is needed. Ensure that you properly cite relevant literature and research in the field of civil engineering software to provide context and support for your study.

Keywords: ETABS, STAAD Pro., Efficiency, Qualitative Data

I. INTRODUCTION

Dynamic analysis of flat slab and grid slab systems in a multistory building is an essential aspect of structural engineering to ensure the safety and performance of the structure, especially under seismic or dynamic loading conditions.

A. Flat Slab System:

Flat slab systems are simple and widely used in multistory buildings. The dynamic analysis of a flat slab system involves the following steps:

1) Modeling: Create a finite element model of the entire building using structural analysis software like SAP2000, ETABS, or similar tools. In this model, represent the slabs, columns, beams, and other structural components accurately.
2) Loads: Apply the appropriate loads to the model. These loads include dead loads (permanent), live loads (variable), and other transient loads. For dynamic analysis, seismic loads are of particular importance.
3) Mass Distribution: Assign mass to each element of the structure based on the material properties and thickness of the flat slab and other components. It's essential to distribute mass correctly to capture the building's dynamic behavior accurately.
4) Boundary Conditions: Apply appropriate boundary conditions to simulate how the building interacts with its foundation or supports. This is crucial for capturing the building's natural frequencies and mode shapes.
5) Dynamic Analysis: Perform dynamic analysis using methods such as response spectrum analysis or time history analysis. For seismic analysis, response spectrum analysis is commonly used. Time history analysis can also be applied if detailed information about the ground motion is available.
6) Results and Design: Analyze the results to assess the building's response to dynamic loads. Ensure that the structure's design meets the required performance criteria, such as maximum displacements, accelerations, and stresses.
7) Design Modifications: If necessary, make design modifications to strengthen the structure, like adding shear walls or using post-tensioned slabs to improve its dynamic response.

B. Grid Slab System:

Grid slab systems, also known as waffle slabs, are characterized by a grid of ribs (beams) and a flat top slab. The dynamic analysis of a grid slab system is similar to that of a flat slab but with some variations:

1) Modeling: Create a finite element model, considering the grid of ribs as beams and the top slab as a plate or shell element. The connections between the ribs and the slab must be accurately modeled.
2) Loads: Apply loads as in the flat slab system, including dead loads, live loads, and seismic loads.
3) Mass Distribution: Distribute mass appropriately, considering both the ribs and the slab. The mass distribution should account for the varying thicknesses of the slab and the ribs.
4) Boundary Conditions: Apply boundary conditions to capture the interaction between the grid slab and its supports.
5) Dynamic Analysis: Perform dynamic analysis using the chosen method, such as response spectrum analysis or time history analysis.

6) Results and Design: Analyze the results and ensure that the grid slab system meets the required performance criteria for dynamic loads.
7) Design Modifications: If necessary, modify the design to enhance the grid slab system's dynamic response, considering options like increasing rib sizes or adding shear elements

II. LITERATURE REVIEW

Shrikant Arun Khakre et al (2022) a comparative analysis of flat slab and traditional slab systems under seismic loading conditions using the ETABS software. Here are some key points and observations from your description. Flat slabs are commonly used in construction due to several advantages. These advantages include reduced weight, faster construction speed, and cost-effectiveness. The study aims to compare the performance of flat slab systems and traditional slab systems in multi-story buildings (G+14) with a plan area of 1225 sq. m. Four different models were created in the ETABS software to conduct this analysis. The buildings under study are located in Seismic Zone 5, which indicates a high seismic risk area. This is an essential consideration for designing structures that can withstand earthquake forces. The study focused on several key parameters under seismic loading, including maximum shear force, maximum story drift, and maximum bending moment. These parameters are critical for assessing the structural integrity of buildings during an earthquake. The study found that traditional slabs can carry more load compared to flat slabs. However, traditional slabs have drawbacks, including increased loading, higher story heights, and higher construction costs. In contrast, flat slabs are considered more efficient in certain aspects. In addition to structural performance, aesthetic considerations were mentioned. Flat slab systems are perceived as having a better appearance compared to traditional slab systems, which can be a factor in architectural and design choices.

Mohammadbhai Sadikbhai Khanushiya et al (2021) the study you described is focused on comparing various slab systems, including flat slab, grid slab, and conventional slab systems, for a G + 7 building in seismic zone III with medium soil conditions. The goal is to determine which of these systems is the most suitable for the given scenario based on several parameters. The primary objective of this comparative study is to identify which of the investigated slab systems performs best in terms of the specified parameters under the given seismic and soil conditions. The goal is to determine the most suitable system for the G + 7 building to ensure structural safety and performance.

Such studies are essential for ensuring that buildings are designed and constructed to withstand seismic forces, especially in regions prone to earthquakes like seismic zone III. The results of this analysis will guide the choice of the most appropriate slab system for the specific project, considering both safety and economic factors.

III. OBJECTIVE OF PAPER

– Define geometry, including building dimensions, columns, beams, slabs, and shear walls and Assign material properties (concrete grade, steel grade) and section properties to structural elements.
– Perform linear or nonlinear static and dynamic analyses to determine the structural response under various loads.

IV. METHODS OF ANALYSIS

Structural engineers play a crucial role in ensuring the safety and integrity of structures. Here's a breakdown of some key points from your description:

1) Load and Stress Analysis: Structural engineers calculate the loads and stresses acting on a building to ensure that the structure can safely withstand these forces. This involves assessing various factors like live loads, dead loads, and environmental loads.
2) Material Selection: They are responsible for selecting appropriate materials for the construction based on factors like economic considerations, strength, and durability. This involves a deep understanding of various construction materials and their properties.
3) Quality Control: Structural engineers assess the quality of building materials to determine their suitability for specific structural components, such as beams, columns, and foundations. Ensuring the quality of materials is essential for the safety and longevity of the structure.
4) Structural Analysis Software: Structural engineers use specialized software tools like ETABS, STAAD PRO, SAP, and others to analyze the behavior of structures under different conditions, including wind and earthquake loads. This requires both technical and programming skills.
5) Interpreting Results: They must interpret the results obtained from structural analysis software to verify the validity of the outputs. This often involves cross-checking with manual calculations for quality assurance.
6) Collaboration: Structural engineers work closely with other professionals involved in a construction project, including site engineers, architects, geotechnical engineers, landscape architects, and project managers. Effective communication and coordination are crucial to avoid errors and ensure that the project proceeds smoothly
7) Construction Oversight: While structural engineers design the structures, they are also involved in overseeing the construction process to ensure that the design is implemented correctly. This involves regular site visits and collaboration with construction teams.
8) Safety and Code Compliance: Structural engineers must adhere to building codes and safety standards to ensure that the constructed structures meet legal and safety requirements.

The working time and location of a structural engineer can indeed vary depending on several factors:

1) Office Work: Structural engineers often spend a significant portion of their time working in an office environment. This is where they perform tasks such as structural analysis, design, calculations, and project management. They use specialized software and collaborate with other team members to plan and design structures.
2) Construction Sites: Structural engineers are also frequently required to visit construction sites. This is especially true during the construction phase of a project,

where they monitor the progress, ensure that the construction aligns with the approved plans and specifications, and address any unforeseen issues that may arise during construction. This on-site work can involve inspections, quality control, and coordination with contractors and construction workers.

3) Time Split: As mentioned, structural engineers often split their time between office work and site visits. The specific allocation of time may vary depending on the project's phase. During the design phase, more time may be spent in the office, while during construction, they might be on-site more often.
4) Location Variations: The location of a structural engineer's work can vary based on the type of projects they are involved in. For instance:
5) Rural Areas: Engineers working on rural projects might have a different working environment compared to urban areas. Rural projects might involve unique challenges and considerations, such as limited infrastructure and resources.
6) Metropolitan Areas: In metropolitan areas, structural engineers may be involved in complex and large-scale projects, and the working environment may be more fast-paced and competitive.
7) Working Hours: The working hours of a structural engineer can be flexible but may also be demanding, depending on project deadlines and workload. Engineers may need to work long hours, especially when facing tight project schedules. The size of the project and the organization can influence these working hours. Larger organizations may have more resources and teams to share the workload
8) Team Structure: The structure of the engineering organization can impact the workload of individual structural engineers. In well-defined and larger organizations, there are specialized teams for different aspects of a project, including design, planning, and execution. This division of labor can help distribute responsibilities and reduce the workload on individual engineers.



Fig. 1: Isometric View of structure

No of floor	G+14
Height of each floor	3m
Beam Size	300mm*250mm
Column Size	500mm*400mm, 350mm*300mm, 450mm*350mm, 550mm*500mm
Flat slab thickness	150mm
Grid slab thickness	450mm(over all)
Live load on each floor	3kn/m^2
Load due to floor finished	0.75 kn/m^2
Types of soil	Medium
Zone	III
Grade of concrete	M30
Grade of steel	Fe415 (HYSD)

Table 1: Description of structure component and materials used



Fig. 2: Rendered view of structure

V. RESULTS AND DISCUSSION

In this chapter we discussed about provides information the geometry of a model, which could be related to various fields like engineering, architecture, or computer graphics. This type of information typically includes details about the structure's layout, the coordinates of key points, and how elements in the model are connected.

- Story Levels: In architectural and structural engineering contexts, "story levels" refer to the different levels or floors of a building. Each story level has its own set of features, such as walls, columns, and floors. This information is crucial for design, analysis, and construction.
- Point Coordinates: Point coordinates are the specific x, y, and z (or latitude, longitude, and elevation) coordinates of key points within the model. These points

could represent nodes in a structural analysis, corners of a building, or vertices in a 3D model.

– Element Connectivity: Element connectivity information describes how the various components or elements within the model are connected to one another. This can include information on how nodes (points) are connected by lines, how vertices are connected to form polygons, or how elements like beams, columns, or trusses are connected in a structural analysis model.

Story	Height in mm	Elevations in mm
Story 15	3000mm	45000
Story 14	3000mm	42000
Story 13	3000mm	39000
Story 12	3000mm	36000
Story 11	3000mm	33000
Story 10	3000mm	30000
Story 09	3000mm	27000
Story 08	3000mm	24000
Story 07	3000mm	21000
Story 06	3000mm	18000
Story 05	3000mm	15000
Story 04	3000mm	12000
Story 03	3000mm	9000
Story 02	3000mm	6000
Story 01	3000mm	3000
Base	0	0

Table 2: Story data

A. Load Pattern

Load pattern basically deal with the seismic load because these load are very harmful for any structure.





Fig. 3: Seismic load along X and Y direction

It's crucial to consider earthquake loading and perform dynamic analysis when designing and analyzing structures in earthquake-prone areas, especially for buildings with five or more stories. Seismic zone III indicates a moderate level of earthquake hazard, and dynamic analysis becomes particularly important for taller structures to ensure their safety and resilience during seismic events. Engineers and architects use various design techniques and materials to mitigate the effects of earthquakes and protect both people and property.

Name	Types
Dead	Linear Statics
Live	Linear Statics
Masonry	Linear Statics
RS	Response Spectrum
E_X	Linear Statics
E_Y	Linear Statics

Table 3: load case summary

B. Bending Moment

Describing two diagrams representing the bending moments in a structural design under design combination. Bending moments provide insight into the structural forces and stresses within a building or structure.



Fig. 4: Bending Moment Diagram X and Y axis



Fig. 5: Response Spectrum by Story Stiffness

VI. CONCLUSION

We conducted research on the structural design of buildings comparing flat slabs and grid slabs, with a focus on their economic, structural, and practical implications. Your findings suggest that flat slabs may be more economical and suitable for aesthetic-focused buildings, while grid slabs provide better structural rigidity, reduced reinforcement requirements, and are preferable for important and public buildings. You also mentioned the use of ETABS software for your analysis and design work. Here are some key takeaways from your research:

- Economic Considerations: Flat slabs are more cost-effective from an economic standpoint compared to grid slabs.
- Reinforcement: Flat slabs require less reinforcement compared to grid slabs, which can be beneficial in terms of cost and construction complexity.
- Load-Bearing Capacity: Grid slabs are better suited for longer spans and can help reduce the number of columns in a building due to their rigidity. Flat slabs, on the other hand, have limitations in supporting heavy loads without beams.
- Stress and Cracking: Stress tends to be higher in flat slabs, which may lead to more cracks compared to grid slabs.
- Column Joints: Both flat slabs and grid slabs show minimal stress at column joints, but flat slabs often use drop panels to distribute loads uniformly on columns.
- Deflection: Flat slabs tend to have higher deflection compared to grid slabs, which are supported by beams and offer better resistance to deflection.

- Building Type: Grid slabs are recommended for important and public buildings where structural rigidity and safety are crucial, while flat slabs may be suitable for buildings with a focus on aesthetics.
- Software and Design: ETABS is preferred for structural analysis and design due to its ability to provide detailed reinforcement data and ease of checking and modifying failed members.

Your research provides valuable insights into the pros and cons of using flat slabs and grid slabs in building design, helping engineers and architects make informed decisions based on the specific requirements and priorities of a project.

REFERENCES

[1] Mohammadbhai Sadikbhai Khanushiya1 Arjun M. Butala "Comparative Study of Multistory Building of Flat Slab and Grid Slab System with Conventional Slab SysteM" International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056 Volume: 08 Issue: 06 | June 2021 www.irjet.net.

[2] Latha M.S Pratibha K "Analysis and comparison of conventional slab and grid slab for symmetric and asymmetric structures" https://www.sciencedirect.com/journal/materials-today-proceedings https://doi.org/10.1016/j.matpr.2020.12.1245Get rights and content.

[3] Shrikant Arun Khakre1, Prof.Ishant Dahat "Analysis and comparison of the Flat and Traditional Slab System in Multistory building" International Journal of Research in Engineering and Science (IJRES) ISSN (Online): 2320-9364, ISSN (Print): 2320-9356 www.ijres.org Volume 10 Issue 4 ǁ 2022 ǁ PP. 01-04.

[4] Lalit Balhar, Dr. J.N. Vyas, "Review Paper on Comparative Analysis of Flat Slab & Convetional RC Slabs With and Without Shear Wall", International Research Journal of Engineering and Technology (IRJET). Volume: 06 Issue: 02 | Feb 2019.

[5] Indrani V, "Dynamic Analysis of Multistory RCC Building Frame with Flat Slab and Grid Slab", International Journal of Trend in Scientific Research and Development (IJTSRD)

[6] Ashwini Waghule1 Patil Harshal, Waghmare Ratnakumar , Kadam Shubham, Biradar Ballav , Udatewar Diksha , "Review Paper on Bubble Deck Slab", Journal of Advances and Scholarly Researches in Allied Education. Vol. XV, Issue No. 2, (Special Issue) April-2018, ISSN 2230-7540.

[7] Mohd Aasim Ahmed, "Comparative Analysis & Design of FLAT & GRID R.C. Slab System with Conventional R.C. Slab System for Multistorey Buildings", IJSRD - International Journal for Scientific Research & Development| Vol. 6, Issue 05, 2018 | ISSN (online): 2321-0613

[8] S.V Mahamuni, Prof. Dr. S.A Halkude, "Comparison of Various Methods of Analysis of Grid Floor Frame", International Journal of Engineering Science Invention ISSN (Online): 2319 – 6734, ISSN (Print): 2319 – 6726.

[9] Sumit Sharma, Ashish Yadav and Mukesh Dubey, "Review Paper on RCC Structure with Flat Slab". International Journal of Advance Engineering and Research Development Volume 5, Issue 02, February - 2018.

[10] R.S.More, " Analytical Study of Different Types of Flat Slab Subjected to Dynamic Loading", International Journal of Science and Research (IJSR) Volume 4 Issue 7, July 2015 ISSN (Online): 2319-7064

