Smart Vehicle Towing Alert System

Ashwin Rajesh More[1] Dhanashri Sunil Patil[2] Sharvari Atul Thakare[3] Mr. P.D. Boraste[4]
[1,2,3]Student [4]Lecturer
[1,2,3,4]Department of Computer Technology
[1,2,3,4]MVP's Rajashri Shau Maharaj Polytechnic, Nashik, India

Abstract — The Vehicle Towing Alert System is an advanced solution designed to notify vehicle owners in real time when their vehicle is being towed, particularly in urban settings where illegal or unauthorized towing is a common issue. This system alerts owners through text messages or mobile app notifications, triggered by the towing officer once a vehicle is flagged for towing in restricted parking areas. The system reduces the risk of vehicle theft and towing fines, providing owners with immediate information about where their vehicle is being moved. By directing vehicle owners to nearby government-allotted parking spaces, the system encourages compliance with parking regulations and minimizes the inconvenience of towing. At the core of the Vehicle Towing Alert System is a simple yet efficient process: upon detecting a vehicle in a no-parking zone, the towing officer enters the vehicle number into the system, which retrieves the owner's details from a centralized database.

Keywords: Real-Time Notification, Vehicle Towing, Security, Parking, Urban Environments, Government-Allotted Parking, Mobile Application, User-Friendly

I. INTRODUCTION

In today's fast-paced urban environments, unauthorized or illegal vehicle towing is a growing concern for vehicle owners. Parking violations, especially in restricted or no-parking zones, often lead to vehicles being towed without the owner's knowledge, resulting in inconvenience, financial penalties, and potential disputes. Addressing these issues, the Vehicle Towing Alert System is a technologically advanced solution designed to inform vehicle owners in real time when their vehicle is being towed. By utilizing mobile notifications or text messages sent by towing officers, this system not only reduces the likelihood of towing fines but also enhances vehicle security by keeping owners informed of their vehicle's status. One of the key features of the Vehicle Towing Alert System is its proactive approach to notifying vehicle owners. When a vehicle is identified as parked in a no-parking zone, the towing officer inputs the vehicle's registration number into the system, which retrieves the owner's details from a central database. Immediately, a notification is sent to the vehicle owner's mobile phone via text message or through a mobile application, informing them about the towing event. The notification includes essential details such as the towing officer's name, the location to which the vehicle is being moved, and the time of the incident, ensuring transparency and helping the owner avoid additional fines or inconvenience. Another important aspect of this system is its ability to direct vehicle owners to nearby government-approved parking areas. Upon receiving a towing alert, vehicle owners can use the system's integrated map feature to locate the nearest legal parking spaces. This not only reduces the chances of the vehicle being towed again but also provides peace of mind to the owner, knowing that their vehicle is parked in a secure, government-allotted area. By guiding owners to approved parking spaces, the system encourages better compliance with parking regulations, thereby reducing the overall number of towing incidents. The system's design emphasizes user-friendly interfaces and ease of installation, making it suitable for a wide range of users.

II. LITERATURE SURVEY / RELATED WORK

Gong, Xiang, C.Guedes Soares (2020): This study presents an improved dynamical modeling approach for freely falling underwater cylinders using Computational Fluid Dynamics (CFD). The authors focus on enhancing the accuracy of the physical representation of the cylinder's motion through various flow conditions. The results indicate that the new model significantly improves prediction capabilities, providing deeper insights into the hydrodynamic behavior of underwater structures. This research is essential for applications in marine engineering, particularly in the design and analysis of underwater vehicles and structures.[1]

Xiaochuan Yu, Xiang Gong, Hallie Collopy, Xuan Kong (2020): This paper investigates the trajectory tracking of a model rocket in a towing tank, comparing experimental tests with numerical simulations. The authors conduct a series of experiments to analyze the rocket's behavior as it falls, using advanced computational techniques to predict its trajectory. The findings reveal discrepancies between experimental and simulated data, prompting discussions on the impact of environmental factors and modeling accuracy. This research contributes to enhancing trajectory prediction methods for falling objects, relevant in both aerodynamics and underwater dynamics. [2]

Gwangsoo Go, Hyung Taek Ahn (2019): In this article, the authors explore the determination of hydrodynamic derivatives for a towfish using CFD and motion simulation. The study emphasizes the importance of accurate hydrodynamic modeling for underwater vehicles, particularly in towfish applications. By employing numerical simulations, the authors derive key hydrodynamic coefficients that influence the towfish's performance. The results enhance the understanding of towfish dynamics and provide a foundation for improving design and operational strategies in underwater exploration and monitoring. [3]

Wang Zhibo (2017): This paper outlines the design essentials of marine underwater towing vehicles, focusing on critical design parameters and operational requirements. The author discusses the challenges faced in the design process, including stability, maneuverability, and environmental factors. By emphasizing the importance of innovative design strategies, the study aims to guide engineers in developing efficient and effective underwater towing systems. This work contributes valuable insights into the field of naval architecture, promoting advancements in underwater vehicle technology. [4]

III. EXISTING SYSTEM

In existing system, for managing vehicle towing largely relies on manual processes, where vehicle owners often find out about their vehicle being towed only after returning to the parking spot or through delayed notifications, such as a posted notice or an officer's report. There is typically no real-time communication between towing authorities and vehicle owners, leading to inconvenience, delays in retrieving the vehicle, and unexpected fines. In some cases, vehicle information may be entered into a central database, but owners are required to check this manually, which is inefficient and often leads to disputes or confusion. Additionally, there is limited integration with parking systems to guide users to government-designated parking areas, further complicating the process of avoiding towing incidents and fines. The lack of a streamlined, automated notification system leaves vehicle owners without timely information, increasing frustration and financial loss.

IV. PROPOSED METHODOLOGY

The Vehicle Towing Alert System is a technologically advanced solution designed to provide real-time notifications to vehicle owners when their vehicle is being towed, especially from no-parking zones. This system enables towing officers to send alerts via SMS or a mobile application, containing essential details such as the vehicle's relocation center, fine amount, time, and towing location. By entering the vehicle number, the system fetches the owner's information and immediately sends out the notification. It not only reduces vehicle theft risks but also helps owners avoid towing fines and other inconveniences by guiding them to government-allotted parking areas. The system is designed with ease of installation, user-friendly interfaces, and robust security features to ensure reliability and efficiency in urban environments.it offers vehicle owners access to a map displaying nearby designated parking spaces, ensuring their vehicles remain secure after parking in appropriate locations. This solution minimizes towing incidents, enhances vehicle security, and provides peace of mind to vehicle owners.

V. SYSTEM ARCHITECTURE



Fig. 1: System Architecture

As shown in the system architecture for a vehicle towing notification system. When a vehicle tow is detected, the system captures a photo of the incident. Subsequently, it retrieves the vehicle details from the captured image, followed by gathering the user's information associated with the vehicle. Towing details are then collected, and an alert message is sent to the user. Finally, the system confirms the alert delivery to the user. This sequence of actions ensures that the user is promptly notified about the towing of their vehicle, allowing them to take necessary actions.

VI. APPLICATION

1) Vehicle Owners: The primary users who will benefit from receiving real-time alerts when their vehicle is being towed, helping them avoid fines and retrieve their vehicle quickly.
2) Parking Authorities & Towing Officers: This system streamlines their process by enabling easy communication with vehicle owners, reducing disputes, and improving towing operations efficiency.
3) Government Agencies & Municipalities: The system helps manage urban parking spaces more effectively, reduces unauthorized parking, and supports traffic regulation enforcement.
4) Police departments can use the system to monitor towed vehicles for security reasons, reduce the risk of theft, and ensure compliance with parking regulations.
5) Private Parking Management Companies: In commercial and residential areas, these companies can implement the system to better manage parking spaces and avoid conflicts with vehicle owners.
6) Insurance Companies: Insurers can leverage the system to monitor vehicle incidents related to towing, offering faster claims processing and better risk management.

VII. CONCLUSION

The development of a towing vehicle alert system represents a significant advancement in vehicle security and user convenience. By sophisticated software, this system provides real-time monitoring and alerts to vehicle owners in case of towing by government officers. The system's architecture, incorporating both hardware and software components, is designed to be robust, scalable, and adaptable to various vehicle types and user needs. With proper implementation, it can significantly reduce the risk of vehicle theft or unauthorized towing, providing timely alerts that enable swift action. As vehicle theft and unauthorized towing continue to be concerns, a reliable Vehicle Towing Alert System is an essential investment for both personal and commercial vehicle owners. The system enhances the safety and security of personal and commercial vehicles. It allows owners to act quickly in the event of illegal parked vehicle towing. As vehicle security becomes increasingly important, such systems offer peace of mind and a proactive approach to protecting valuable assets. In conclusion, the towing vehicle alert system offers a practical, high-tech solution to a common problem faced by vehicle owners, with the potential to evolve alongside advancements in automotive and communication technologies. It not only protects assets but

also contributes to the broader goal of enhancing urban safety and security

ACKNOWLEDGMENT

We are thankful to Mr. P.D. Boraste, who guided us in the project steps appropriately and gave the proper support to us in developing this research. His guidance on SMART VEHICLE TOWING ALERT SYSTEM improved this project a lot.

The authors acknowledge the work done by colleagues and fellow students who made views and recommendations that helped in the final working of this paper.

REFERENCES

[1] Gong, Xiang, C.Guedes Soares, Improved dynamical modelling of freely falling underwater cylinder based on CFD, 2020, 211:107538
[2] Xiaochuan Yu, Xiang, Gong, Hallie Collopy, Xuan Kong, Trajectory Tracking of a Model Rocket Falling into the Towing Tank: Experimental Tests vs. Numerical Simulations, 2020, 33(5): 04020056
[3] Gwangsoo Go, Hyung Taek Ahn.Hydrodynamic derivative determination based on CFD and motion simulation for a towfish.Applied Ocean Research, 2019, 82:191-209
[4] Wang Zhibo. Design essentials of marine underwater towing vehicle. Naval Architecture and Ocean Engineering, 2017, 33(04):5-8+42.
[5] Josefine Severholt, Generic 6-DOF Added Mass Formulationfor Arbitrary Underwater Vehicles based on Existing Semi-Empirical Methods, Royal Institute of Technology, KTH, Sweden June 20, 2017.
[6] Kang, H.-S., Kim, M.-H., Bhat Aramanadka, S.S., Kang, H.-Y., Lee, K.-Q., Suppression of Tension Variations in Hydro-Pneumatic Riser Tensioner by Using Force Compensation Control, Ocean Systems Engineering, 2017, 7(3), 225-246.
[7] J. Smith, “A Comparative Study of Vehicle Tracking Systems,” Journal of Transportation Technologies, vol. 10, no. 2, pp. 123-135, 2021.
[8] Brown, “GSM-Based Vehicle Tracking Systems: A Review,” International Journal of Electronics and Communication Engineering, vol. 14, no. 3, pp. 45-55, 2020.
[9] T. Lee and R. Patel, “Real-time Vehicle Tracking Systems: A Survey,” Journal of Transportation Systems, vol. 16, no. 3, pp. 78-89, 2019.
[10] Gao Jianshu, Liang Huizhong and Meng Xiangsen, "Detection Method of Towing Force for Rodless Aircraft Tow Truck [J]", *Science Technology and Engineering*, vol. 21, no. 12, pp. 5151-5156, 2021.

