

# Review on Classification of images of Healthcare Application Using Machine Learning

Aniket Pawar<sup>1</sup> Atharva Mulik<sup>2</sup> Prathmesh Pawar<sup>3</sup> Anand Gurav<sup>4</sup> Mrs. Vidya Dhamdhere<sup>5</sup>

<sup>1,2,3,4</sup>B.Tech. Student <sup>5</sup>Assistant Professor

<sup>1,2,3,4,5</sup>Department of Computer Engineering

<sup>1,2,3,4,5</sup>G.H. Raisoni College of Engineering and Management, Pune, India

**Abstract**— Machine learning algorithms are rapidly growing in research of healthcare imaging. Currently, medical imaging applications using these algorithms to diagnose the errors in disease diagnostic systems which may result in extremely ambiguous medical treatments. Machine and deep learning algorithms are important ways in medical imaging to classify the symptoms of early disease. Deep learning techniques, in specific convolutional neural networks, have promptly developed a methodology of special for investigating medical images. It uses the supervised or unsupervised algorithms using some specific standard dataset to point the predictions. We study image classification, object detection, pattern recognition, reasoning etc. concepts in medical imaging. These are wont to improve the accuracy by extracting the meaningful patterns for the precise disease in medical imaging. These ways also indorse the decision-making procedure. The major aim of this survey is to spotlight the machine learning and deep learning techniques utilized in medical images. For the study of multi-dimensional medical data, machine and deep learning provide a commendable technique for creation of classification and automatic deciding. This paper provides a survey of images of healthcare application in the machine and deep learning methods to analyze distinctive classification. It carries consideration concerning the suite of those algorithms which may be used for the classification of disease and automatic decision-making.

**Keywords:** Machine Learning, Deep Learning, Convolutional neural networks, Image Classification

## I. INTRODUCTION

Machine and deep learning algorithms play a crucial role to coach the pc system as an expert which may be used further for prediction and deciding. Machine learning is that the field of study that gives computers the power to find out without being explicitly programmed [1]. Deep learning may be a sort of machine learning that empowers systems to realize for a fact and comprehend the planet regarding a hierarchy of ideas [2]. These fields bring intelligence into a computer which will extract the patterns consistent with the precise data then process for automatic reasoning [3] [4]. Medical imaging is the rapidly growing research area that is used to classify and diagnose a disease for early treatment. The function of image processing within the health domain is relative to the growing position of medical imaging. The digital image processing offers significant effect on decision-making procedure supported some predictions. It gives better features extraction and accuracy. The approach of functioning assessment is complicated and contains numerous diverse properties [5] [6]. The digital image processing techniques are implanted in many various computer systems. The authentication of image processing perspective is essential that gives an

implementation of specific procedures which provides influence on the performance of these systems. Therefore, it brings decisions and actions supported approaches in medical imaging. It delivers a many rudimentary and clarified image analysis and visualization tools [7]. The artificial intelligence is the main domain and machine learning and deep learning works under this domain as shown in Fig. 1. The AI is that the major field to display human intelligence during a machine, machine learning is employed to realize AI, while deep learning may be a technique wont to implement machine learning [8].




Fig. 1: Artificial Intelligence, Machine Learning and Deep Learning domain

The various steps are performed on healthcare images before the detection of output. Initially, the medical image is gripped as input to the machine and deep learning algorithms. After that, the image is divided into different segments to zoom the interested area. Then, the features are extracted from these segments through information retrieval techniques. Next. The desired features are selected and therefore the noise is removed. Finally, the classifier is employed to classify the extracted data and make predictions supported this classification. These steps are utilized in every experiment of machine learning. The supervised, semi-supervised, unsupervised, reinforcement and active learning algorithms are the most categories of machine learning. Further, the deep learning methods are primarily advanced phase of machine learning algorithms that classify data and predict more accurately using neural network [9] [10].

### A. Supervised learning

It gives a training set of instances with appropriate objectives to a computer system. Taking this training set system give response accurately on given possible inputs. The classification and regression are the categories of Supervised Learning.

- The inputs are distributed into different classes using classification methods, and the trained system must generate actions that allocate hidden inputs to these classes. This is called multi labeling process. The spam

purifying is the case of classification, in which the emails are classified into "spam" and, "not spam".

- The regression is a supervised technique in which the outcomes are continuous rather than discrete. The regression predictions are evaluated using root mean squared error (RMSE), unlike classification predictions in which accuracy is used as a performance measure.

### B. Unsupervised learning

The system will take the decision by itself rather than train on the basis of some dataset. No labeling is given to the system that can be used for predictions. Unsupervised learning can be used to retrieve the hidden pattern with the help of feature learning of the given data.

- The clustering is an unsupervised learning approach that is used to divide the inputs into clusters. These clusters are not identified earlier. It builds groups on the basis of resemblance.

### C. Reinforcement learning

In Reinforcement learning the trained data is provided only as a response to the program's activities in a self-motivated situation, such as to drive a vehicle or playing a video game.

### D. Deep learning

This is the advanced phase of machine learning which mainly uses neural networks for learning and prediction of data. It is a group of different algorithms. These are used to design complex generalized systems that can take any type of problems and give predictions. It uses the deep graph with numerous processing layers, made up of many linear and nonlinear conversions [11].

Nowadays, in medical disciplines, illness diagnostic assessment is a severe mission. It is the key task to comprehend the accurate diagnosis of patients by medical inspection and evaluation. The healthcare domain produces a large amount of data about medical evaluation, a statement concerning the patient, treatment, supplements, prescription etc. The C. Nowadays, in medical disciplines, illness diagnostic assessment is a severe mission. It is the key task to grasp the accurate diagnosis of patients by medical inspection and evaluation. The healthcare domain produces an outsized amount of knowledge about medical evaluation, a press release concerning the patient, treatment, supplements, prescription etc. The main issue is that the standard of those reports gives an impact of association thanks to unsuitable managing of the info [12]. The improvements of this data are essential to mine and process these medical reports elegantly and efficiently. There are different types of machine learning algorithms available that are used to use specific classifiers for distributing data on the basis of their characteristics. The dataset can be separated into two or more than two classes. These sorts of classifiers are embedded for medical data examination and disease discovery. Firstly, machine learning algorithms were proposed and went to notice medical data sets. Today, for well-organized investigation of medical data the machine learning provides numerous techniques. The systems for data gathering and inspection are located in almost all new hospitals that are used for the collection and sharing of data. It is used for correcting diagnostic of various diseases by medical imaging. To use an algorithm, the

accurate diagnostic patient documentation is inserted during a system and outcomes are often spontaneously acquired from the preceding cracked cases. The pattern recognition is that the idea of machine learning that extracts features from medical images about any diseases to predict and generate conclusions for diagnosis and to plan treatment [13] [14]. There are different steps of machine learning and deep learning algorithms which are utilized in the medical imaging domain as shown in Fig. 2.




Fig. 2: Machine and Deep Learning algorithms workflow in medical image

## II. MACHINE LEARNING IN HEALTHCARE IMAGING

Machine learning algorithms are very effective in medical imaging to review specific diseases. Different types of entities like lesions and organs in medical image processing are often too complicated and can't be shown correctly by an easy mathematical solution. In [15], the author used the pixel-based investigation to research medical images for diseases. The pixel analysis in machine learning appeared in medical image processing, which uses certain values in images immediately rather than features extraction from chunks as input file. The enactment of this method could be better than that of straightforward feature-based classifiers for specific problems. The image with low contrast is a challenging problem in order to investigate its properties. The feature calculation and segmentation isn't required for pixel-based machine learning, unlike ordinary classifiers which avoid errors generated from inaccurate segmentation and have calculation. The pixel analysis utilizes long training time due to the high dimensionality of knowledge (a sizable amount of pixel in an image) in [16], the author targeted the low contrast medical images for analysis. The furthestmost efficient technique used for contrast improvement is Histogram Equalization (HE). The authors proposed a way named "Modified Histogram-Based Contrast Enhancement using Homomorphic Filtering" (MH-FIL). It used two phases handling process, within the first phase global contrast is improved using histogram modification. Further, next phase homomorphic filtering is projected for image sharpening. The low contrast chest X-ray 10 medical images are investigated within the experiment. The MH-FIL has minimum values altogether 10 images computer to other techniques. The medical image clarification is that the highest responsibility of radiologists, with the assignments involving equally

images with better quality and its analysis. The computer-aided design CAD has developed for several years. There are numerous machine learning methods analyzed through medical images, for instance, linear discriminant analysis, support vector machines, decision trees, etc. In [17], the author used machine learning procedure in medical image evaluation.

### III. DEEP LEARNING IN HEALTHCARE IMAGING

To guide computers to learn features that can characterize the data for the given issue. This idea lies at the foundation of several deep learning procedures. The models that comprised of various layers that transmute input images to give outputs about the specific diseases because of cramming gradually high-level features. The better type of these models for image analysis is convolutional neural networks (CNNs). The CNNs comprise several layers that convert the input with convolution filters. The task of employing deep learning methods to the medical field frequently use in familiarizing current architectures in distinctive input formats such as three-dimensional data. Previously, the purposes of CNNs to big data, full 3D convolutions and the subsequent huge number of constraints are avoided by separating the volume of Interest into portions [18].

#### A. Image classification

The classification of medical image is that the main task in deep learning so as to research for clinical-related issues for early treatment of the patient. The classification could be classically or multiple images as input with one diagnostic mutable as result (disease yes or no). In these cases, each diagnostic assay may be a model and dataset sizes are characteristically minor associated with those in computer vision. In [19], the fine modification evidently outdid feature extraction, attaining 57.6% accuracy in multiclass score evaluation of knee osteoarthritis against 53.4%. But, the [20] shown that by CNN feature retrieval performed fine-tuning in cytopathology image classification perfection with 70.5% versus 69.1%.

#### B. Working of CNN algorithm

This section tells the working of the algorithm in a brief manner. The detailed explanation is available in [21]. The input to the network is a 2D image. The network has input layer which takes the image as the input, output layer from where we get the trained output and the intermediate layers called as the hidden layers. As stated earlier, the network has a series of convolutional and sub-sampling layers. Together the layers fabricate an approximation of input image data's. CNNs exploit spatially local correlation by enforcing a local connectivity pattern between neurons of adjacent layers [22]. Neurons in layer say, 'm' are connected to a local subset of neurons from the previous layer of (m-1), where the neurons of the (m-1) layer have contiguous receptive fields as shown in fig. 3.




Fig. 3: Graphical flow of layers showing connection between layers.

In the CNN algorithm, each sparse filter is replicated across the whole field of vision. These units then implement a feature maps, these share weight vector and bias. Figure, represents 3 hidden units of same feature map. The weights of same color are shared, thus constrained to be identical. The gradient of shared weights is the sum of the gradients of the parameters are to be shared. Such replication during a way allows features to be detected no matter their position in field of vision. In addition to the present, weight sharing also allows to scale back the amount of free learning parameters. Due to this control, CNN tends to achieve better generalization on vision problems. CNN also make use of the concept of max-pooling, which may be a sort of non-linear down-sampling. In this method, the input image is partitioned into non-overlapping rectangles. The output for every sub-region is that the maximum value.




Fig. 4: Typical layer architecture.

### IV. CONCLUSION

The machine learning skills are grown in past few years. Currently, machine learning methods are tremendously vigorous to practical circumstances, and therefore the structures really advantage of the training process. It previously pertains in the rehearsal of medical imaging, and it will perhaps cultivate at a quick stride in the coming future. The use of machine learning in healthcare imaging has important inferences for the medication. It is very significant that this research area ensures better care to patients. The possessions of machine learning tackles are serious to confirming that they're applied within the greatest possible way. In the medical image analysis, the deep learning algorithms help to separate, classify, and enumerate disease patterns from image processing. It also permits to extend analytical goals and generates prediction models of treatment for patients. The healthcare imaging researchers are considering these challenges, deep learning in health care research domain and imaging is enduring to flourish. It is improving rapidly, as deep learning is in numerous other applications aside from of health care.

REFERENCES

- [1] Valiant, L., G. A theory of the learnable. *Commun. ACM*, 27(11):1134–1142, November 1984.
- [2] Goodfellow, I., Bengio, Y., Courville, A., & Bengio, Y. (2016). *Deep learning* (Vol. 1). Cambridge: MIT Press.
- [3] Robert, C., *Machine learning, a probabilistic perspective*. 2014, Taylor & Francis.
- [4] Aiken, A., Moss: A system for detecting software plagiarism. <http://www/cs.berkeley.edu/~aiken/moss.html>, 2004.
- [5] Doi, K., Computer-aided diagnosis in medical imaging: historical review, current status and future potential. *Computerized medical imaging and graphics*, 2007. 31(4-5): p. 198-211.
- [6] Mahesh, M., Fundamentals of medical imaging. *Medical Physics*, 2011. 38(3): p. 1735-1735.
- [7] Jannin, P., C. Grova, and C.R. Maurer, Model for defining and reporting reference-based validation protocols in medical image processing. *International Journal of Computer Assisted Radiology and Surgery*, 2006. 1(2): p. 63-73.
- [8] Michalski, R. S., Carbonell, J. G., & Mitchell, T. M. (Eds.). (2013). *Machine learning: An artificial intelligence approach*. Springer Science & Business Media.
- [9] Norris, D.J., *Machine Learning: Deep Learning, in Beginning Artificial Intelligence with the Raspberry Pi*. 2017, Springer. p. 211-247.
- [10] Jankowski, N. and M. Grochowski. Comparison of instances selection algorithms i. algorithms survey. In *International conference on artificial intelligence and soft computing*. 2004. Springer.
- [11] Schmidhuber, J., Deep learning in neural networks: An overview. *Neural networks*, 2015. 61: p. 85-117.
- [12] Warwick, W., et al., A framework to assess healthcare data quality. *The European Journal of Social & Behavioural Sciences*, 2015. 13(2): p. 1730.
- [13] Ghassemi, M., et al., Opportunities in Machine Learning for Healthcare. *arXiv preprint arXiv:1806.00388*, 2018.
- [14] Dua, S., U.R. Acharya, and P. Dua, *Machine learning in healthcare informatics*. 2014.
- [15] Suzuki, K., Pixel-based machine learning in medical imaging. *Journal of Biomedical Imaging*, 2012. 2012: p. 1.
- [16] Agarwal, T.K., M. Tiwari, and S.S. Lamba. Modified histogram based contrast enhancement using homomorphic filtering for medical images. In *Advance Computing Conference (IACC)*, 2014 IEEE International. 2014. IEEE.
- [17] Nanni, L., A. Lumini, and S. Brahmam, Local binary patterns variants as texture descriptors for medical image analysis. *Artificial intelligence in medicine*, 2010. 49(2): p. 117-125.
- [18] Prasoon, A., et al. Deep feature learning for knee cartilage segmentation using a triplanar convolutional neural network. In *International conference on medical image computing and computer-assisted intervention*. 2013. Springer.
- [19] Antony, J., et al. Quantifying radiographic knee osteoarthritis severity using deep convolutional neural networks. In *Pattern Recognition (ICPR)*, 2016 23rd International Conference on. 2016. IEEE.
- [20] Kim, E., M. Corte-Real, and Z. Baloch. A deep semantic mobile application for thyroid cytopathology. In *Medical Imaging 2016: PACS and Imaging Informatics: Next Generation and Innovations*. 2016. International Society for Optics and Photonics.
- [21] S. L. Phung and A. Bouzerdoum, "MATLAB library for convolutional neural network," Technical Report, ICT Research Institute, Visual and Audio Signal Processing Laboratory, University of Wollongong. Available at: <http://www.uow.edu.au/~phung>
- [22] Tutorial on deep learning [Online] available at :<http://deeplearning.net/tutorial/lenet.html>